P	t	9

	Application No.	Applicant(s)		
	09/719,731	SCHMITZ ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Christopher M. Keehan	1712		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
 This communication is responsive to 8/22/03. The allowed claim(s) is/are 1-11. The drawings filed on 8/22/03 are accepted by the Examinated Acknowledgment is made of a claim for foreign priority under a)	der 35 U.S.C. § 119(a)-(d) or (f). be been received. be been received in Application No cuments have been received in this onder 35 U.S.C. § 119(e) (to a provis pplication has been received.	national stage application from the		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of	this communication to file a reply co	omplying with the requirements noted NTH PERIOD IS NOT EXTENDABLE.		
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No. (b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. 				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.				
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449), Paper No	4☐ Interview Summ 6☐ Examiner's Ame	al Patent Application (PTO-152) ary (PTO-413), Paper No andment/Comment ement of Reasons for Allowance		

Application/Control Number: 09/719,731

Art Unit: 1712

DETAILED ACTION

Reasons for Allowance

Claims 1-11 are allowed. A reasonable search of the prior art of record failed to reveal the limitations as set forth in claim 1. Sherman et al. (6,407,195 B2), as pointed out by applicant, teaches a moisture curable composition, and the use of a metal ion complex as a moisture curable catalyst. Therefore, the catalyst of Sherman et al. would not meet the instantly claimed limitation of a "metal ion is only released from the bond to the complex former under the conditions of heating or drying of the adhesive" as instantly claimed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher M. Keehan whose telephone number is (703) 305-2778. The examiner can normally be reached on Monday-Friday, from 6:30 to 3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert A. Dawson can be reached on 308-2340. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

Art Unit: 1712

Christopher Keehan $\ell^{\mathcal{W}^{\iota}}$

September 16, 2003

Robert Dawson

apervisory Patent Examiner Technology Center 1700